

## Adhesive Kit & Shelf Life Information - 2026-02-10

UJC Kit Number	Use / Description	Kit Contents	Recommended Storage Temp	Shelf Life (Mths)	Note	Usage
15010	Adhesive Kit for Common Components	Loctite 222E 10ml	Ambient ~20°C	24	Note 2	20 Common Kits
		Loctite 574 50ml	Ambient ~20°C	24		
15011	Heatshrink UJ Adhesive Kit	Metafil Two Part Filler	Ambient ~20°C	36	Note 2	5 Common Kits
15020	ASN S280 Adhesive Kit	Silicone Ruber 3145RTV	Ambient ~20°C	12	Note 2	16 Joint Ends
15030	OS Non-H2 Adhesive Kit	Loctite 638 50ml	Ambient ~20°C	24	Note 2	20 Joint Ends
		Loctite 380 or 480	~5°C	23		
		Loctite 7455 25ml	Ambient ~20°C	24		
15040	NSW Minisub 16C Adhesive Kit	Loctite 380 or 480	~5°C	23	Note 2	10 Joint Ends
		Loctite 7455 25ml	Ambient ~20°C	24		
		Silicone Self Amalgamating Tape	Ambient ~20°C	60		
15050	DSC P2 Adhesive Kit	Loctite 638 50ml	Ambient ~20°C	24	Notes 2 & 17	20 Joint Ends
		Adhesive Sikasil SG-20	Ambient ~20°C	9 + 12		
15060	Pirelli 14mm/18.5mm, Nexans ROC-2, NSW 13CT, R(0.6,15), R(0.6,17), R(8.0 CU) OCC SC300/350/500 & SL21E-H2 Adhesive Kit	Loctite 638 50ml Tube	Ambient ~20°C	24	Note 2	20 Joint Ends
15071	KCS OS, OS TUBE & OCC SC-100 <b>(PEEK Seal Technique)</b>	Loctite 638 50ml	Ambient ~20°C	24	Notes 1 & 2	20 Joint Ends
		Loctite 380 or 480	~5°C	23		
		Loctite 7455 25ml	Ambient ~20°C	24		
		Loctite 574 50ml	Ambient ~20°C	24		
15080	SL17 Aramid Consumables Kit	O'-Ring Lubricant		120		3 Joint Ends
15081	SL17 Aramid Epoxy Kit	Epoxy Resin	~5°C	24	Notes 1 & 2	3 Joint Ends
15090	GPT F7 Adhesive Kit	Loctite 638	Ambient ~20°C	24	Note 2	10 Joint Ends
		Loctite 380 or 480	~5°C	23		
		Loctite 7455 25ml	Ambient ~20°C	24		
		Loctite 770	Ambient ~20°C	24		
15100	Tyco SL17/SL21 Adhesive Kit	Ribbonizing Adhesive (FAA-03A)	~5°C <70% RH	36	Notes 1, 2 & 14	20 Joint Ends
15130	Nexans URC-1 (192) Adhesive Kit	Ribbonizing Adhesive (FAA-03A 500ml)	~5°C <70% RH	36	Notes 1, 2, 9 & 14	5 Joints
		Loctite 574 50ml	Ambient ~20°C	24		
		Metafil Two Part Filler	20°C	36		
15131	Nexans URC-1 (96) Adhesive Kit	Loctite 574 50ml	Ambient ~20°C	24	Notes 1 & 2	5 Joints
		Metafil Two Part Filler	Ambient ~20°C	36		

**Any extension to the shelf life applies only to the products listed and only for their application in UJ, UQJ UC**

## Adhesive Kit & Shelf Life Information - 2026-02-10

UJC Kit Number	Use / Description	Kit Contents	Recommended Storage Temp	Shelf Life (Mths)	Note	Usage
15140	Tyco SL125 Adhesive Kit	Blue-Tak	Ambient ~20°C	Indefinite	Notes 1, 2 & 5	20 Joint Ends
		Loctite 638 50ml Tube	Ambient ~20°C	24		
		Loctite 574PP 50ml	Ambient ~20°C	24		
		Metafil Two Part Filler	Ambient ~20°C	36		
		Rework And DCA Flux RP11RWF	~5°C	6 + 18		
15150	Universal Coupling Consumables Kit	Krytox Grease	~5°C	Indefinite	Notes 1,2 & 5	4 Couplings
		Flux Rosin	~5°C	36		
15160	Ribbonising Adhesive Kit	Ribbonizing Adhesive (1 x 500ml)	~5°C <70% RH	36	Notes 1, 2, 9 & 14	5 Joints
15180	ASN Fiber Soft Seal Adhesive Kit	Polymerization kit (glue)	Range of 0 - 5°C	14	Note 19	1 Joint - 2 Ends
15190	ASN Fiber Soft Seal Consumables Kit	Satwipes MEK-C86 Wipes ChemPad Degreaser Soltec FL65 Solvent Isopropanol-2	Ambient ~20°C	24 5 years 24 36	Note 20	4 Joint - 8 Ends
35010	UQJ Adhesive Kit	Loctite 222E 10ml	Ambient ~20°C	24	Note 2	10 Joints
35020	UQJ NSW & OCC-SC370 Adhesive Kit	Loctite 380 or 480	~5°C	23	Note 2	10 Joint Ends
		Loctite 7455 25ml	Ambient ~20°C	24		
35030	UQJ SL12L Consumables Kit	Ribbonizing Adhesive (FAA-03A)	~5°C < 70% RH	36	Notes 1, 2 & 14	20 Joint Ends
35040	NSW MiniSub Armour Sealing Kit	Polyurethane Hydrophobic	Ambient ~20°C	12	Notes 1 & 2	5 Joints
35041	UQJ NSW Range IJ 11.3 Adhesive Kit	LOCTITE 574 50ml	Ambient ~20°C	24	Note 10	5 Joints
		3M SCOTCH WELD TAPE	Ambient ~22°C	12+24		
232AA	OCC SC300/350 Fibre Restraint	+5°C ~ +35°C, RH < 50%, Indoor Storage	9 + 84	Note 7 &16	1 Joint	
255AA	OCC SC500 Fibre Restraint	+5°C ~ +35°C, RH < 50%, Indoor Storage	9+24	Note 11 &16	1 Joint	
240AA	OS TUBE Fibre Holders	+5°C ~ +35°C, RH < 50%, Indoor Storage	12+24	Note 18 &16	1 Joint	
261AA	OCC-SC370/52X/53X/54X/63X Fiber Restraint	+5°C ~ +35°C, RH < 50%, Indoor Storage	9+24	Note 11 &16	1 Joint	
276AA	OCC-SC370 with 32C Fiber Restraint	+5°C ~ +35°C, RH < 50%, Indoor Storage	9+24	Note 11 &16	1 Joint	
285AA	OCC-SC52X/53X/54X/63X with 32C Fiber Restraint	+5°C ~ +35°C, RH < 50%, Indoor Storage	9+24	Note 11 &16	1 Joint	
290AA	OCC-SC380 with 48C Fiber Restraint	+5°C ~ +35°C, RH < 50%, Indoor Storage	9+24	Note 11 &16	1 Joint	
298AA	OCC-SC5YZ/OCC-SC63X with 48C Fiber Restraint	+5°C ~ +35°C, RH < 50%, Indoor Storage	9+24	Note 11 &16	1 Joint	
9101	Supplement Common Component Kit	Rheogel 90S (OIL002PP)		24	Note 8	1 Joint
9102	GPT F7 Common Supplement Kit	Rheogel 90S (OIL002PP)		24	Note 8	1 Joint
9103	KIT09002 Common Supplement KIT	Rheogel 90S (OIL002PP)		24	Note 8	1 Joint

**Any extension to the shelf life applies only to the products listed and only for their application in UJ, UQJ UC**

## Adhesive Kit & Shelf Life Information - 2026-02-10

**Note 1:** Only items with finite Shelf Lives/Storage temperatures are included.

**Note 2:** Shelf Lives are from the date of manufacture and in an un-opened condition. Ribbonizing Adhesive: Use within 6 months after opening.

**Note 3:** Deleted

**Note 4:** Deleted

**Note 5:** Deleted

**Note 6:** Deleted

**Note 7:** Qualification tests conducted on the fibre restraints have determined that the shelf life can safely be extended by a further 84 months.

**Note 8:** Although the nominal shelf life is 24 months, the preferred shelf life is 12 months.

**Note 9:** The shelf life is 3 to 4 months when opened, **not exceeding the overall shelf life (Note: 14)**

**Note 10:** The shelf life will only be valid if the substance is stored at the manufacturer's conditions of temperature and humidity.

**Note 11:** Qualification tests conducted on the fibre restraints have determined that the shelf life can safely be extended by a further 24 months.

**Note 12:** Deleted

**Note 13:** Qualification tests on Sikaflex 360HC have determined that the shelf life can be safely extended by 36 months. This extension in conjunction with the manufacturers shelf

**Note 14:** Qualification tests conducted on the Ribbonizing Glue FAA-03A have determined that the shelf life can safely be extended to 36 months from the date of manufacture if

**Note 15:** Deleted

**Note 16:** Recommended storage temperature is +5°C~ +35°C, RH < 50%, Indoor Storage

**Note 17:** Sikaflex 360HC is no longer available, and has been replaced be Sikasil SG20 note that until further tests the shelf life can only be extended by 12 months. This

**Note 18:** Qualification test conducted on the KIT240AA have determined that the shelf life can safely be extended by further 24 months. This extension in conjunction with the

**Note 19:** The kit must be at room temperature, 24 hours before use.

**Note 20:** For each product, the shelf life is valid before opening. The shelf life of Chempad is 5 years after manufacturing date (printed on the sachets/box).

**New Issue: Note 5 removed as no longer applicable**

Any extension to the shelf life applies only to the products  
listed and only for their application in UJ, UQJ UC